



CHIC DOOR

STYLE MUST BE FELT, NOT SEEN.





CHIC DOOR


CONCEALED HINGES FOR ALUMINIUM DOORS WITH EURO GROOVE AND R GROOVE SYSTEMS

C.H.I.C. Door is Giesse's range of concealed hinges that improves the aesthetics and increases the value of the door while also simplifying warehouse organization. Its high load capacity, in compliance with European standards, makes it versatile and fit for a vast range of residential and commercial solutions.


Giesse broadens the concept of concealed hinges for doors with **Euro Groove (EG)** and **R Groove (RG)** systems.

C.H.I.C. Door EG and RG are extremely easy and intuitive to mount, sensibly reducing installation time. The wide height and side adjustment range means that they can be mounted by just one person after the door has already been installed.

C.H.I.C. Door EG
Euro Groove



C.H.I.C. Door RG
R Groove



WATCH THE VIDEO





C.H.I.C. DOOR ADVANTAGES



Simple

Installation is particularly simple as it only requires straightforward work on the frame. The installation of the door can take place on site in just a few steps.



Solid

C.H.I.C. Door allows to fit sashes weighing up to 120 kg with 2 hinges and up to 150 kg with 4 hinges.



Adjustable

The simple and intuitive 2D adjustment only requires the use of standard tools. The final adjustment of the door can be carried out by just one person.

Height adjustment = - 2+ 4 mm

Side adjustment = +/- 2 mm



105° opening

Suitable for inward and outward opening systems with a maximum opening angle of 105°. Ideal for a variety of different residential and commercial applications.



CE Marking

C.H.I.C. Door EG and RG hinges bear the CE marking in compliance with the EN 1935:2004 regulation (class 12) tested with 200,000 opening and closing cycles.



Patented

C.H.I.C. Door for Euro Groove and R Groove systems are patented solutions. All design, development, and production stages are 100% Made in Italy.

WATCH THE VIDEO



C.H.I.C. DOOR

THE RANGE

Item code	Description	Finish	Series	Pcs. /Package	Friz Limitation Arm (optional*)
00725020	C.H.I.C. Door EG	Anodized silver	Euro Groove	2	02030000K
00725190	C.H.I.C. Door EG	Anodized black	Euro Groove	2	02030000K
00726020	C.H.I.C. Door RG	Anodized silver	R Groove	2	02034000K
00726190	C.H.I.C. Door RG	Anodized black	R Groove	2	02034000K

*For sashes with more than 90° openings, we always recommend the use of a Friz limitation arm.



C.H.I.C. Door EG



C.H.I.C. Door RG



WATCH THE
INSTALLATION VIDEO



C.H.I.C. RANGE ALSO FOR WINDOWS

For a consistent style throughout the building



Tilt-and-turn



Side-hung



Bottom-hung window

THE COMPLETE SOLUTION FOR ALUMINIUM DOORS

The synergy among Tyman International brands allows to fully fit doors with high performing products from the vast Schlegel, Giesse, and Reguitti catalog.



GIESSE

Door Handles

Giesse's range of door handles includes the same styles available for cremones and window handles, to maintain a consistent aesthetic throughout buildings.



REGUITTIinox

Pull Handles

A wide range of pull handles with over 50 styles and multiple different finishes to choose from. Reguitti Inox pull handles can be fully personalized in terms of length, height, section shape (square, round, rectangular), and supports (straight or sloping).



Schlegel

Q-LON

Gaskets made of polyurethane foam that combine excellent thermal insulation with exceptional acoustic performance and easy installation. Available in different standard or personalized colours that blend completely with the fixtures.

A brighter sky.

Schlegel

GIESSE

REGUITTI

JATEC

Four brands, one brilliant identity.

We are Tyman International, a division of the Tyman group, worldwide supplier of engineered fenestration components and access solutions.

We strive to design brilliant hardware that improves performance, reliability and assembly speed, redefining the standard of windows and doors.

Our aim is to transform the security, comfort and sustainability of buildings through our expert touch.

 **TYMAN**
International

tyman-international.com

